

JPL EXPORT ADMINISTRATION DOCUMENT REVIEW RECORD

Log #: 10937-10976

(Note: This form and process do not replace the procedures described in JPL Policy relating to review and approval of proposals and contractual documents. This process is intended to document the review and coordination of requests to ascertain the export control ramifications relating to specific documents. Export Administration signature does not convey authority to export or release the "Exporter of Record" from any export laws or regulations.)

Program: ISSM: Ice Sheet System Model

Person Requesting or Initiating Export: Dr. Eric Larour

Date Received: Nov-29-2011

Document Title/Description: ISSM changes from revision 10937 to revision 10976

Release to: <http://issm.ess.uci.edu/svn/issm/issm/trunk> on ISSM svn repository

JPL Intranet: murdo.jpl.nasa.gov/proj/ice/larour/issm-uci/trunk-jpl

Disposition: 6 Does not contain export-controlled information. May be released/disclosed as requested subject to Company guidelines on protection of proprietary information (if applicable).

Comments: see table of changes below.

Reviewed by ISSM Export Transfer Liaison: Dr. Eric Larour **Date:** Nov-29-2011



JPL Export Administration Form TBS June 29, 2011

Disposition:

- 1: Public Domain Information (Ref ITAR Section 120.11)
- 2: Qualifies for ITAR Exemption
- 3: Covered by Department of State License/Agreement Number
- 4: Covered by Department of Commerce validated license or exception
- 5: New License Required
- 6: Does not contain export-controlled information. May be released/disclosed as requested subject to Company guidelines on protection of proprietary information (if applicable).
- 7: Other (specify)

Change #1 with diff file ISSM-10937-10938.diff:

Function name:

A /issm/trunk-jpl (from /issm/trunk:10935) R /issm/trunk-jpl/tidbits (from /issm/trunk/tidbits:10936)

Export determination: 6.

Rationale: Branching JPL

Change #2 with diff file ISSM-10938-10939.diff:

Function name:

M /issm/trunk-jpl/startup.py

Export determination: 6.

Rationale: simpler startup header

Change #3 with diff file ISSM-10939-10940.diff:

Function name:

M /issm/trunk-jpl/startup.py

Export determination: 6.

Rationale: simpler startup header M /issm/trunk-jpl M /issm/trunk-jpl/startup.m

Sync with current trunk revision

Change #4 with diff file ISSM-10940-10941.diff:

Function name:

M /issm/trunk-jpl M /issm/trunk-jpl/startup.m

Export determination: 6.

Rationale: Sync with current trunk revision M /issm/trunk-jpl Merge from branch

Change #5 with diff file ISSM-10941-10942.diff:

Function name:

M /issm/trunk-jpl

Export determination: 6.

Rationale: Merge from branch M /issm/trunk-jpl test

Change #6 with diff file ISSM-10942-10943.diff:

Function name:
M /issm/trunk-jpl
Export determination: 6.
Rationale: test

Change #7 with diff file ISSM-10943-10944.diff:

Function name:
M /issm/trunk-jpl
Export determination: 6.
Rationale: new jpl branch from 10943

Change #8 with diff file ISSM-10944-10945.diff:

Function name:
M /issm/trunk-jpl
Export determination: 6.
Rationale: new jpl branch from 10943

Change #9 with diff file ISSM-10946-10947.diff:

Function name:
M /issm/trunk-jpl/src/m/classes/clusters/pfe.m M /issm/trunk-jpl/src/m/model/plot/plot_mesh.m
Export determination: 6.
Rationale: Fixed plot mesh for export_fig and added queues in pfe

Change #10 with diff file ISSM-10947-10948.diff:

Function name:
M /issm/trunk-jpl/src/m/classes/clusters/pfe.m M /issm/trunk-jpl/src/m/model/plot/plot_mesh.m
Export determination: 6.
Rationale: Fixed plot mesh for export_fig and added queues in pfe

Change #11 with diff file ISSM-10948-10949.diff:

Function name:
M /issm/trunk-jpl A /issm/trunk-jpl/scripts/SyncBranches.sh (from /issm/trunk/scripts/SyncBranches.sh:109
M /issm/trunk-jpl/src/m/classes/clusters/generic.m M /issm/trunk-jpl/src/mex/InterpFromGridToMesh/InterpFromGridToMesh.m
M /issm/trunk-jpl/src/mex/InterpFromMeshToMesh2d/InterpFromMeshToMesh2d.cpp
M /issm/trunk-jpl/src/mex/InterpFromMeshToMesh3d/InterpFromMeshToMesh3d.cpp
Export determination: 6.
Rationale: merged trunk and trunk-jpl

Change #12 with diff file ISSM-10949-10950.diff:

Function name:
M /issm/trunk-jpl A /issm/trunk-jpl/scripts/SyncBranches.sh (from /issm/trunk/scripts/SyncBranches.sh:109
M /issm/trunk-jpl/src/m/classes/clusters/generic.m M /issm/trunk-jpl/src/mex/InterpFromGridToMesh/InterpFromGridToMesh.m
M /issm/trunk-jpl/src/mex/InterpFromMeshToMesh2d/InterpFromMeshToMesh2d.cpp
M /issm/trunk-jpl/src/mex/InterpFromMeshToMesh3d/InterpFromMeshToMesh3d.cpp
Export determination: 6.
Rationale: merged trunk and trunk-jpl

Change #13 with diff file ISSM-10952-10953.diff:

Function name:

M /issm/trunk-jpl

Export determination: 6.

Rationale: Block revision 10949 from being merged into trunk-jpl

Change #14 with diff file ISSM-10953-10954.diff:

Function name:

M /issm/trunk-jpl

Export determination: 6.

Rationale: Block revision 10949 from being merged into trunk-jpl

Change #15 with diff file ISSM-10958-10959.diff:

Function name:

M /issm/trunk-jpl/externalpackages/petsc/configs/3.2/macmathieu64/configure.sh

Export determination: 6.

Rationale: minor

Change #16 with diff file ISSM-10959-10960.diff:

Function name:

M /issm/trunk-jpl/externalpackages/petsc/configs/3.2/macmathieu64/configure.sh

Export determination: 6.

Rationale: minor M /issm/trunk-jpl D /issm/trunk-jpl/examples/Bumps D /issm/trunk-jpl/examples/IceStream A /issm/trunk-jpl/lib (from /issm/trunk/lib:10959) D /issm/trunk-jpl/scripts/SyncBranches.sh M /issm/trunk-jpl/test/NightlyRun/test420.m M /issm/trunk-jpl/test/NightlyRun/test452.m merged trunk and trunk-jpl

Change #17 with diff file ISSM-10960-10961.diff:

Function name:

M /issm/trunk-jpl D /issm/trunk-jpl/examples/Bumps D /issm/trunk-jpl/examples/IceStream A /issm/trunk-jpl/lib (from /issm/trunk/lib:10959) D /issm/trunk-jpl/scripts/SyncBranches.sh M /issm/trunk-jpl/test/NightlyRun/test420.m M /issm/trunk-jpl/test/NightlyRun/test452.m

Export determination: 6.

Rationale: merged trunk and trunk-jpl

Change #18 with diff file ISSM-10961-10962.diff:

Function name:

M /issm/trunk-jpl

Export determination: 6.

Rationale: Block revision 10960 from being merged into trunk-jpl

Change #19 with diff file ISSM-10962-10963.diff:

Function name:

M /issm/trunk-jpl

Export determination: 6.

Rationale: Block revision 10960 from being merged into trunk-jpl

Change #20 with diff file ISSM-10964-10965.diff:

Function name:

```
D /issm/trunk-jpl/.ignore.txt D /issm/trunk-jpl/bin/.ignore.txt D /issm/trunk-jpl/externalpackages/.ignore.txt D /issm/trunk-jpl/externalpackages/adic/.ignore.txt
D /issm/trunk-jpl/externalpackages/adolc/.ignore.txt D /issm/trunk-jpl/externalpackages/angel/.ignore.txt
D /issm/trunk-jpl/externalpackages/appscan/.ignore.txt D /issm/trunk-jpl/externalpackages/autoconf/.ignore.txt
D /issm/trunk-jpl/externalpackages/automake/.ignore.txt D /issm/trunk-jpl/externalpackages/bbftp/.ignore.txt
D /issm/trunk-jpl/externalpackages/boost/.ignore.txt D /issm/trunk-jpl/externalpackages/chaco/.ignore.txt
D /issm/trunk-jpl/externalpackages/cmake/.ignore.txt D /issm/trunk-jpl/externalpackages/colpack/.ignore.txt
D /issm/trunk-jpl/externalpackages/cppcheck/.ignore.txt D /issm/trunk-jpl/externalpackages/dakota/.ignore.txt
D /issm/trunk-jpl/externalpackages/doxygen/.ignore.txt D /issm/trunk-jpl/externalpackages/dyson/.ignore.txt
D /issm/trunk-jpl/externalpackages/flaim/.ignore.txt D /issm/trunk-jpl/externalpackages/gdal/.ignore.txt
D /issm/trunk-jpl/externalpackages/googleearthtoolbox/.ignore.txt D /issm/trunk-jpl/externalpackages/graphviz/.ignore.txt D /issm/trunk-jpl/externalpackages/kml/.ignore.txt
D /issm/trunk-jpl/externalpackages/latex2rtf/.ignore.txt D /issm/trunk-jpl/externalpackages/libtool/.ignore.txt
D /issm/trunk-jpl/externalpackages/m2html/.ignore.txt D /issm/trunk-jpl/externalpackages/matlab/.ignore.txt
D /issm/trunk-jpl/externalpackages/mercurial/.ignore.txt D /issm/trunk-jpl/externalpackages/metis/.ignore.txt
D /issm/trunk-jpl/externalpackages/mpich2/.ignore.txt D /issm/trunk-jpl/externalpackages/netcdf/.ignore.txt
D /issm/trunk-jpl/externalpackages/openanalysis/.ignore.txt D /issm/trunk-jpl/externalpackages/petsc/.ignore.txt
D /issm/trunk-jpl/externalpackages/rats/.ignore.txt D /issm/trunk-jpl/externalpackages/rose/.ignore.txt
D /issm/trunk-jpl/externalpackages/satstress/.ignore.txt D /issm/trunk-jpl/externalpackages/scotch/.ignore.txt
D /issm/trunk-jpl/externalpackages/shapelib/.ignore.txt D /issm/trunk-jpl/externalpackages/tao/.ignore.txt
D /issm/trunk-jpl/externalpackages/triangle/.ignore.txt D /issm/trunk-jpl/externalpackages/valgrind/.ignore.txt
D /issm/trunk-jpl/externalpackages/vim/.ignore.txt D /issm/trunk-jpl/externalpackages/xaifbooster/.ignore.txt
D /issm/trunk-jpl/externalpackages/xerces/.ignore.txt D /issm/trunk-jpl/src/.ignore.txt
D /issm/trunk-jpl/src/ad/.ignore.txt D /issm/trunk-jpl/src/c/.ignore.txt D /issm/trunk-jpl/src/mex/.ignore.txt D /issm/trunk-jpl/test/NightlyRun/.ignore.txt
```

Export determination: 6.

Rationale: removed all ignore.txt, use -i svn propedit svn:ignore .

Change #21 with diff file ISSM-10965-10966.diff:

Function name:

```
D /issm/trunk-jpl/.ignore.txt D /issm/trunk-jpl/bin/.ignore.txt D /issm/trunk-jpl/externalpackages/.ignore.txt D /issm/trunk-jpl/externalpackages/adic/.ignore.txt
D /issm/trunk-jpl/externalpackages/adolc/.ignore.txt D /issm/trunk-jpl/externalpackages/angel/.ignore.txt
D /issm/trunk-jpl/externalpackages/appscan/.ignore.txt D /issm/trunk-jpl/externalpackages/autoconf/.ignore.txt
D /issm/trunk-jpl/externalpackages/automake/.ignore.txt D /issm/trunk-jpl/externalpackages/bbftp/.ignore.txt
D /issm/trunk-jpl/externalpackages/boost/.ignore.txt D /issm/trunk-jpl/externalpackages/chaco/.ignore.txt
D /issm/trunk-jpl/externalpackages/cmake/.ignore.txt D /issm/trunk-jpl/externalpackages/colpack/.ignore.txt
D /issm/trunk-jpl/externalpackages/cppcheck/.ignore.txt D /issm/trunk-jpl/externalpackages/dakota/.ignore.txt
D /issm/trunk-jpl/externalpackages/doxygen/.ignore.txt D /issm/trunk-jpl/externalpackages/dyson/.ignore.txt
D /issm/trunk-jpl/externalpackages/flaim/.ignore.txt D /issm/trunk-jpl/externalpackages/gdal/.ignore.txt
D /issm/trunk-jpl/externalpackages/googleearthtoolbox/.ignore.txt D /issm/trunk-jpl/externalpackages/graphviz/.ignore.txt D /issm/trunk-jpl/externalpackages/kml/.ignore.txt
```

D /issm/trunk-jpl/externalpackages/latex2rtf/.ignore.txt D /issm/trunk-jpl/externalpackages/libtool/.ignore.t
 D /issm/trunk-jpl/externalpackages/m2html/.ignore.txt D /issm/trunk-jpl/externalpackages/matlab/.ignore.t
 D /issm/trunk-jpl/externalpackages/mercurial/.ignore.txt D /issm/trunk-jpl/externalpackages/metis/.ignore.t
 D /issm/trunk-jpl/externalpackages/mpich2/.ignore.txt D /issm/trunk-jpl/externalpackages/netcdf/.ignore.tx
 D /issm/trunk-jpl/externalpackages/openanalysis/.ignore.txt D /issm/trunk-jpl/externalpackages/petsc/.ignor
 D /issm/trunk-jpl/externalpackages/rats/.ignore.txt D /issm/trunk-jpl/externalpackages/rose/.ignore.txt
 D /issm/trunk-jpl/externalpackages/satstress/.ignore.txt D /issm/trunk-jpl/externalpackages/scotch/.ignore.t
 D /issm/trunk-jpl/externalpackages/shapelib/.ignore.txt D /issm/trunk-jpl/externalpackages/tao/.ignore.txt
 D /issm/trunk-jpl/externalpackages/triangle/.ignore.txt D /issm/trunk-jpl/externalpackages/valgrind/.ignore.
 D /issm/trunk-jpl/externalpackages/vim/.ignore.txt D /issm/trunk-jpl/externalpackages/xaifbooster/.ignore.t
 D /issm/trunk-jpl/externalpackages/xerces/.ignore.txt D /issm/trunk-jpl/src/.ignore.txt
 D /issm/trunk-jpl/src/ad/.ignore.txt D /issm/trunk-jpl/src/c/.ignore.txt D /issm/trunk-
 jpl/src/mex/.ignore.txt D /issm/trunk-jpl/test/NightlyRun/.ignore.txt
 Export determination: 6.
 Rationale: removed all ignore.txt, use -i svn propedit svn:ignore .

Change #22 with diff file ISSM-10968-10969.diff:

Function name:

M /issm/trunk-jpl/src/m/classes/autodiff.m M /issm/trunk-jpl/src/m/classes/balancethickness.m
 M /issm/trunk-jpl/src/m/classes/basalforcings.m M /issm/trunk-jpl/src/m/classes/constants.m
 M /issm/trunk-jpl/src/m/classes/diagnostic.m M /issm/trunk-jpl/src/m/classes/flowequation.m
 M /issm/trunk-jpl/src/m/classes/friction.m M /issm/trunk-jpl/src/m/classes/geometry.m
 M /issm/trunk-jpl/src/m/classes/groundingline.m M /issm/trunk-jpl/src/m/classes/hydrology.m
 M /issm/trunk-jpl/src/m/classes/initialization.m M /issm/trunk-jpl/src/m/classes/inversion.m
 M /issm/trunk-jpl/src/m/classes/mask.m M /issm/trunk-jpl/src/m/classes/materials.m
 M /issm/trunk-jpl/src/m/classes/mesh.m M /issm/trunk-jpl/src/m/classes/miscellaneous.m
 M /issm/trunk-jpl/src/m/classes/model/model.m M /issm/trunk-jpl/src/m/classes/private.m
 M /issm/trunk-jpl/src/m/classes/prognostic.m M /issm/trunk-jpl/src/m/classes/qmu.m
 M /issm/trunk-jpl/src/m/classes/rifts.m M /issm/trunk-jpl/src/m/classes/settings.m
 M /issm/trunk-jpl/src/m/classes/steadystate.m M /issm/trunk-jpl/src/m/classes/surfaceforcings.m
 M /issm/trunk-jpl/src/m/classes/thermal.m M /issm/trunk-jpl/src/m/classes/timestepping.m
 M /issm/trunk-jpl/src/m/classes/transient.m M /issm/trunk-jpl/src/m/classes/verbose.m
 A /issm/trunk-jpl/src/m/model/WriteData.m M /issm/trunk-jpl/src/m/model/marshall.m
 D /issm/trunk-jpl/src/m/model/presolve.m M /issm/trunk-jpl/src/m/model/solve.m

Export determination: 6.

Rationale: Improvement: marshall is now a method of all model fields, removed unnecessary model fields (numcontrols... etc)

Change #23 with diff file ISSM-10969-10970.diff:

Function name:

M /issm/trunk-jpl/src/m/classes/autodiff.m M /issm/trunk-jpl/src/m/classes/balancethickness.m
 M /issm/trunk-jpl/src/m/classes/basalforcings.m M /issm/trunk-jpl/src/m/classes/constants.m
 M /issm/trunk-jpl/src/m/classes/diagnostic.m M /issm/trunk-jpl/src/m/classes/flowequation.m
 M /issm/trunk-jpl/src/m/classes/friction.m M /issm/trunk-jpl/src/m/classes/geometry.m
 M /issm/trunk-jpl/src/m/classes/groundingline.m M /issm/trunk-jpl/src/m/classes/hydrology.m
 M /issm/trunk-jpl/src/m/classes/initialization.m M /issm/trunk-jpl/src/m/classes/inversion.m

M /issm/trunk-jpl/src/m/classes/mask.m M /issm/trunk-jpl/src/m/classes/materials.m
M /issm/trunk-jpl/src/m/classes/mesh.m M /issm/trunk-jpl/src/m/classes/miscellaneous.m
M /issm/trunk-jpl/src/m/classes/model/model.m M /issm/trunk-jpl/src/m/classes/private.m
M /issm/trunk-jpl/src/m/classes/prognostic.m M /issm/trunk-jpl/src/m/classes/qmu.m
M /issm/trunk-jpl/src/m/classes/rifts.m M /issm/trunk-jpl/src/m/classes/settings.m
M /issm/trunk-jpl/src/m/classes/steadystate.m M /issm/trunk-jpl/src/m/classes/surfaceforcings.m
M /issm/trunk-jpl/src/m/classes/thermal.m M /issm/trunk-jpl/src/m/classes/timestepping.m
M /issm/trunk-jpl/src/m/classes/transient.m M /issm/trunk-jpl/src/m/classes/verbose.m
A /issm/trunk-jpl/src/m/model/WriteData.m M /issm/trunk-jpl/src/m/model/marshall.m
D /issm/trunk-jpl/src/m/model/presolve.m M /issm/trunk-jpl/src/m/model/solve.m
Export determination: 6.

Rationale: Improvement: marshall is now a method of all model fields, removed unnecessary model fields (numcontrols... etc) M /issm/trunk-jpl/src/c/modules/ModelProcessorx/Control/UpdateElementsAndMaterialsControl.cpp M /issm/trunk-jpl/src/c/modules/ModelProcessorx/Control/UpdateElementsAndMaterialsControl.cpp
M /issm/trunk-jpl/src/c/objects/Elements/Penta.cpp M /issm/trunk-jpl/src/c/objects/Elements/Tria.cpp
M /issm/trunk-jpl/src/c/objects/Materials/Matrice.cpp Improvement: do not load control parameters if iscontrol=0

Change #24 with diff file ISSM-10970-10971.diff:

Function name:

M /issm/trunk-jpl/src/c/modules/ModelProcessorx/Control/UpdateElementsAndMaterialsControl.cpp
M /issm/trunk-jpl/src/c/objects/Elements/Penta.cpp M /issm/trunk-jpl/src/c/objects/Elements/Tria.cpp
M /issm/trunk-jpl/src/c/objects/Materials/Matrice.cpp

Export determination: 6.

Rationale: Improvement: do not load control parameters if iscontrol=0 D /issm/trunk-jpl/src/m/usr removed usr directory from trunk (these are personnel data, moved to issmjpl/usr)

Change #25 with diff file ISSM-10971-10972.diff:

Function name:

D /issm/trunk-jpl/src/m/usr

Export determination: 6.

Rationale: removed usr directory from trunk (these are personnel data, moved to issmjpl/usr) M /issm/trunk-jpl/startup.m correction: do not load user's specific directory anymore. This should be done in the matlab alias

Change #26 with diff file ISSM-10972-10973.diff:

Function name:

M /issm/trunk-jpl/startup.m

Export determination: 6.

Rationale: correction: do not load user's specific directory anymore. This should be done in the matlab alias M /issm/trunk-jpl/cron/configs/linux64_larour M /issm/trunk-jpl/cron/configs/linux64_morlighem_daily M /issm/trunk-jpl/cron/configs/linux64_morlighem_nightly M /issm/trunk-jpl/cron/configs/linux64_morlighem_validation M /issm/trunk-jpl/cron/configs/linux64_seroussi M /issm/trunk-jpl/cron/configs/linux64_seroussi_daily M /issm/trunk-jpl/cron/configs/linux64_seroussi_nightly M /issm/trunk-jpl/cron/configs/linux64_seroussi_validation M /issm/trunk-jpl/cron/configs/macosx32_seroussi M /issm/trunk-jpl/cron/configs/macosx64_larour

M /issm/trunk-jpl/cron/configs/winxp32_larour M /issm/trunk-jpl/cron/cronfiles/linux_cronfile
config files for nightly runs

Change #27 with diff file ISSM-10973-10974.diff:

Function name:

M /issm/trunk-jpl/cron/configs/linux64_larour M /issm/trunk-jpl/cron/configs/linux64_morlighem_daily
M /issm/trunk-jpl/cron/configs/linux64_morlighem_nightly M /issm/trunk-jpl/cron/configs/linux64_morlighem_nightly
M /issm/trunk-jpl/cron/configs/linux64_seroussi M /issm/trunk-jpl/cron/configs/linux64_seroussi_daily
M /issm/trunk-jpl/cron/configs/linux64_seroussi_nightly M /issm/trunk-jpl/cron/configs/linux64_seroussi_validation
M /issm/trunk-jpl/cron/configs/macosex32_seroussi M /issm/trunk-jpl/cron/configs/macosex64_larour
M /issm/trunk-jpl/cron/configs/winxp32_larour M /issm/trunk-jpl/cron/cronfiles/linux_cronfile

Export determination: 6.

Rationale: config files for nightly runs M /issm/trunk-jpl/externalpackages/vim/addons/vim/syntax/c.vim
improvement: synchronized enums with vim syntax highlighting

Change #28 with diff file ISSM-10974-10975.diff:

Function name:

M /issm/trunk-jpl/externalpackages/vim/addons/vim/syntax/c.vim

Export determination: 6.

Rationale: improvement: synchronized enums with vim syntax highlighting M
/issm/trunk-jpl/src/ad/validation/Update/update.m M /issm/trunk-jpl/src/c/Container/Elements.cpp
M /issm/trunk-jpl/src/c/EnumDefinitions/EnumDefinitions.h M /issm/trunk-jpl/src/c/modules/EnumToStringx/EnumToStringx.cpp M /issm/trunk-jpl/src/c/modules/ModelProcessorx/ModelProcessorx.cpp
M /issm/trunk-jpl/src/c/modules/StringToEnumx/StringToEnumx.cpp M /issm/trunk-jpl/src/m/classes/settings.m A /issm/trunk-jpl/src/m/enum/QmuBedEnum.m
A /issm/trunk-jpl/src/m/enum/QmuMeltingEnum.m A /issm/trunk-jpl/src/m/enum/QmuSurfaceEnum.m
A /issm/trunk-jpl/src/m/enum/QmuThicknessEnum.m A /issm/trunk-jpl/src/m/enum/SettingsResultsAsPatchesEnum.m
D /issm/trunk-jpl/src/m/enum/SettingsResultsOnVerticesEnum.m moved md.settings.results_on_vertices
to md.settings.results_as_patches which is 0 by default

Change #29 with diff file ISSM-10975-10976.diff:

Function name:

M /issm/trunk-jpl/src/ad/validation/Update/update.m M /issm/trunk-jpl/src/c/Container/Elements.cpp
M /issm/trunk-jpl/src/c/EnumDefinitions/EnumDefinitions.h M /issm/trunk-jpl/src/c/modules/EnumToStringx/EnumToStringx.cpp M /issm/trunk-jpl/src/c/modules/ModelProcessorx/ModelProcessorx.cpp
M /issm/trunk-jpl/src/c/modules/StringToEnumx/StringToEnumx.cpp M /issm/trunk-jpl/src/m/classes/settings.m A /issm/trunk-jpl/src/m/enum/QmuBedEnum.m
A /issm/trunk-jpl/src/m/enum/QmuMeltingEnum.m A /issm/trunk-jpl/src/m/enum/QmuSurfaceEnum.m
A /issm/trunk-jpl/src/m/enum/QmuThicknessEnum.m A /issm/trunk-jpl/src/m/enum/SettingsResultsAsPatchesEnum.m
D /issm/trunk-jpl/src/m/enum/SettingsResultsOnVerticesEnum.m

Export determination: 6.

Rationale: moved md.settings.results_on_vertices to md.settings.results_as_patches
which is 0 by default M /issm/trunk-jpl/test/NightlyRun/test101.m M /issm/trunk-jpl/test/NightlyRun/test102.m M /issm/trunk-jpl/test/NightlyRun/test103.m
M /issm/trunk-jpl/test/NightlyRun/test104.m M /issm/trunk-jpl/test/NightlyRun/test105.m
M /issm/trunk-jpl/test/NightlyRun/test106.m M /issm/trunk-jpl/test/NightlyRun/test107.m

[illegible]

[illegible]

