

JPL EXPORT ADMINISTRATION DOCUMENT REVIEW RECORD

Log #: 11471-11490

(Note: This form and process do not replace the procedures described in JPL Policy relating to review and approval of proposals and contractual documents. This process is intended to document the review and coordination of requests to ascertain the export control ramifications relating to specific documents. Export Administration signature does not convey authority to export or release the "Exporter of Record" from any export laws or regulations.)

Program: ISSM: Ice Sheet System Model

Person Requesting or Initiating Export: Dr. Eric Larour

Date Received: Feb-23-2012

Document Title/Description: ISSM changes from revision 11471 to revision 11490

Release to: <http://issm.ess.uci.edu/svn/issm/issm/trunk> on ISSM svn repository

JPL Intranet: murdo.jpl.nasa.gov/proj/ice/larour/issm-uci/trunk-jpl

Disposition: 6 Does not contain export-controlled information. May be released/disclosed as requested subject to Company guidelines on protection of proprietary information (if applicable).

Comments: see table of changes below.

Reviewed by ISSM Export Transfer Liaison: Dr. Eric Larour **Date:** Feb-23-2012



JPL Export Administration Form TBS June 29, 2011

Disposition:

- 1: Public Domain Information (Ref ITAR Section 120.11)
- 2: Qualifies for ITAR Exemption
- 3: Covered by Department of State License/Agreement Number
- 4: Covered by Department of Commerce validated license or exception
- 5: New License Required
- 6: Does not contain export-controlled information. May be released/disclosed as requested subject to Company guidelines on protection of proprietary information (if applicable).
- 7: Other (specify)

Change #1 with diff file ISSM-11471-11472.diff:

Function name:

A /issm/trunk-jpl/scripts/matlabissm.bat

Export determination: 6.

Rationale: Script for fire up matlab and issm in windows A /issm/trunk-

jpl/src/m/Makefile A /issm/trunk-jpl/src/m/Makefile.am A /issm/trunk-jpl/src/m/classes/@modellist/Makefile

A /issm/trunk-jpl/src/m/classes/@modellist/Makefile.am A /issm/trunk-jpl/src/m/classes/@pairoptions/Makefile

A /issm/trunk-jpl/src/m/classes/@pairoptions/Makefile.am A /issm/trunk-jpl/src/m/classes/Makefile

A /issm/trunk-jpl/src/m/classes/Makefile.am A /issm/trunk-jpl/src/m/enum/Makefile

A /issm/trunk-jpl/src/m/enum/Makefile.am A /issm/trunk-jpl/src/m/kml/Makefile

A /issm/trunk-jpl/src/m/kml/Makefile.am A /issm/trunk-jpl/src/m/model/Makefile

A /issm/trunk-jpl/src/m/model/Makefile.am A /issm/trunk-jpl/src/m/planet/Makefile

A /issm/trunk-jpl/src/m/planet/Makefile.am A /issm/trunk-jpl/src/m/qmu/Makefile

A /issm/trunk-jpl/src/m/qmu/Makefile.am A /issm/trunk-jpl/src/m/shared/Makefile

A /issm/trunk-jpl/src/m/shared/Makefile.am A /issm/trunk-jpl/src/m/solutions/Makefile

A /issm/trunk-jpl/src/m/solutions/Makefile.am A /issm/trunk-jpl/src/m/solvers/Makefile

A /issm/trunk-jpl/src/m/solvers/Makefile.am A /issm/trunk-jpl/src/m/utils/Analysis/Makefile

A /issm/trunk-jpl/src/m/utils/Analysis/Makefile.am A /issm/trunk-jpl/src/m/utils/Array/Makefile

A /issm/trunk-jpl/src/m/utils/Array/Makefile.am A /issm/trunk-jpl/src/m/utils/BC/Makefile

A /issm/trunk-jpl/src/m/utils/BC/Makefile.am A /issm/trunk-jpl/src/m/utils/Basins/Makefile

A /issm/trunk-jpl/src/m/utils/Basins/Makefile.am A /issm/trunk-jpl/src/m/utils/Cluster/Makefile

A /issm/trunk-jpl/src/m/utils/Cluster/Makefile.am A /issm/trunk-jpl/src/m/utils/DataProcessing/Makefile

A /issm/trunk-jpl/src/m/utils/DataProcessing/Makefile.am A /issm/trunk-jpl/src/m/utils/Ecco3/Makefile

A /issm/trunk-jpl/src/m/utils/Ecco3/Makefile.am A /issm/trunk-jpl/src/m/utils/Exp/Makefile

A /issm/trunk-jpl/src/m/utils/Exp/Makefile.am A /issm/trunk-jpl/src/m/utils/Geometry/Makefile

A /issm/trunk-jpl/src/m/utils/Geometry/Makefile.am A /issm/trunk-jpl/src/m/utils/ImageProcessing/Makefile

A /issm/trunk-jpl/src/m/utils/ImageProcessing/Makefile.am A /issm/trunk-

jpl/src/m/utils/Interp/Makefile A /issm/trunk-jpl/src/m/utils/Interp/Makefile.am

A /issm/trunk-jpl/src/m/utils/Kml/Makefile A /issm/trunk-jpl/src/m/utils/Kml/Makefile.am

A /issm/trunk-jpl/src/m/utils/LatLong/Makefile A /issm/trunk-jpl/src/m/utils/LatLong/Makefile.am

A /issm/trunk-jpl/src/m/utils/Makefile A /issm/trunk-jpl/src/m/utils/Makefile.am

A /issm/trunk-jpl/src/m/utils/Math/Makefile A /issm/trunk-jpl/src/m/utils/Math/Makefile.am

A /issm/trunk-jpl/src/m/utils/Meca/Makefile A /issm/trunk-jpl/src/m/utils/Meca/Makefile.am

A /issm/trunk-jpl/src/m/utils/Mesh/Makefile A /issm/trunk-jpl/src/m/utils/Mesh/Makefile.am

A /issm/trunk-jpl/src/m/Utils/Miscellaneous/Makefile A /issm/trunk-jpl/src/m/Utils/Miscellaneous/Makefile
 A /issm/trunk-jpl/src/m/Utils/Model/Makefile A /issm/trunk-jpl/src/m/Utils/Model/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Numerics/Makefile A /issm/trunk-jpl/src/m/Utils/Numerics/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/OS/Makefile A /issm/trunk-jpl/src/m/Utils/OS/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Plot/Makefile A /issm/trunk-jpl/src/m/Utils/Plot/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Shell/Makefile A /issm/trunk-jpl/src/m/Utils/Shell/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/String/Makefile A /issm/trunk-jpl/src/m/Utils/String/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/consistency/Makefile A /issm/trunk-jpl/src/m/Utils/consistency/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/qmu/Makefile A /issm/trunk-jpl/src/m/Utils/qmu/Makefile.am
 Adding install targets for all .m files

Change #2 with diff file ISSM-11472-11473.diff:

Function name:

A /issm/trunk-jpl/src/m/Makefile A /issm/trunk-jpl/src/m/Makefile.am A /issm/trunk-jpl/src/m/classes/@modellist/Makefile A /issm/trunk-jpl/src/m/classes/@modellist/Makefile.am
 A /issm/trunk-jpl/src/m/classes/@pairoptions/Makefile A /issm/trunk-jpl/src/m/classes/@pairoptions/Makefile.am
 A /issm/trunk-jpl/src/m/classes/Makefile A /issm/trunk-jpl/src/m/classes/Makefile.am
 A /issm/trunk-jpl/src/m/enum/Makefile A /issm/trunk-jpl/src/m/enum/Makefile.am
 A /issm/trunk-jpl/src/m/kml/Makefile A /issm/trunk-jpl/src/m/kml/Makefile.am
 A /issm/trunk-jpl/src/m/model/Makefile A /issm/trunk-jpl/src/m/model/Makefile.am
 A /issm/trunk-jpl/src/m/planet/Makefile A /issm/trunk-jpl/src/m/planet/Makefile.am
 A /issm/trunk-jpl/src/m/qmu/Makefile A /issm/trunk-jpl/src/m/qmu/Makefile.am
 A /issm/trunk-jpl/src/m/shared/Makefile A /issm/trunk-jpl/src/m/shared/Makefile.am
 A /issm/trunk-jpl/src/m/solutions/Makefile A /issm/trunk-jpl/src/m/solutions/Makefile.am
 A /issm/trunk-jpl/src/m/solvers/Makefile A /issm/trunk-jpl/src/m/solvers/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Analysis/Makefile A /issm/trunk-jpl/src/m/Utils/Analysis/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Array/Makefile A /issm/trunk-jpl/src/m/Utils/Array/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/BC/Makefile A /issm/trunk-jpl/src/m/Utils/BC/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Basins/Makefile A /issm/trunk-jpl/src/m/Utils/Basins/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Cluster/Makefile A /issm/trunk-jpl/src/m/Utils/Cluster/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/DataProcessing/Makefile A /issm/trunk-jpl/src/m/Utils/DataProcessing/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Ecco3/Makefile A /issm/trunk-jpl/src/m/Utils/Ecco3/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Exp/Makefile A /issm/trunk-jpl/src/m/Utils/Exp/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Geometry/Makefile A /issm/trunk-jpl/src/m/Utils/Geometry/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/ImageProcessing/Makefile A /issm/trunk-jpl/src/m/Utils/ImageProcessing/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Interp/Makefile A /issm/trunk-jpl/src/m/Utils/Interp/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Kml/Makefile A /issm/trunk-jpl/src/m/Utils/Kml/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/LatLong/Makefile A /issm/trunk-jpl/src/m/Utils/LatLong/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Makefile A /issm/trunk-jpl/src/m/Utils/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Math/Makefile A /issm/trunk-jpl/src/m/Utils/Math/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Meca/Makefile A /issm/trunk-jpl/src/m/Utils/Meca/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Mesh/Makefile A /issm/trunk-jpl/src/m/Utils/Mesh/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Miscellaneous/Makefile A /issm/trunk-jpl/src/m/Utils/Miscellaneous/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Model/Makefile A /issm/trunk-jpl/src/m/Utils/Model/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/Numerics/Makefile A /issm/trunk-jpl/src/m/Utils/Numerics/Makefile.am
 A /issm/trunk-jpl/src/m/Utils/OS/Makefile A /issm/trunk-jpl/src/m/Utils/OS/Makefile.am

A /issm/trunk-jpl/src/m/Utils/Plot/Makefile A /issm/trunk-jpl/src/m/Utils/Plot/Makefile.am
A /issm/trunk-jpl/src/m/Utils/Shell/Makefile A /issm/trunk-jpl/src/m/Utils/Shell/Makefile.am
A /issm/trunk-jpl/src/m/Utils/String/Makefile A /issm/trunk-jpl/src/m/Utils/String/Makefile.am
A /issm/trunk-jpl/src/m/Utils/consistency/Makefile A /issm/trunk-jpl/src/m/Utils/consistency/Makefile.am
A /issm/trunk-jpl/src/m/Utils/qmu/Makefile A /issm/trunk-jpl/src/m/Utils/qmu/Makefile.am
Export determination: 6.
Rationale: Adding install targets for all .m files M /issm/trunk-jpl/Makefile.am
M /issm/trunk-jpl/bin M /issm/trunk-jpl/configure.ac M /issm/trunk-jpl/src/Makefile.am
Adding install targets for .m files.

Change #3 with diff file ISSM-11473-11474.diff:

Function name:

M /issm/trunk-jpl/Makefile.am M /issm/trunk-jpl/bin M /issm/trunk-jpl/configure.ac
M /issm/trunk-jpl/src/Makefile.am

Export determination: 6.

Rationale: Adding install targets for .m files. D /issm/trunk-jpl/src/m/Makefile

D /issm/trunk-jpl/src/m/classes/@modellist/Makefile D /issm/trunk-jpl/src/m/classes/@paioptions/Makefile
D /issm/trunk-jpl/src/m/classes/Makefile M /issm/trunk-jpl/src/m/classes/clusters/greenplanet.m
D /issm/trunk-jpl/src/m/enum/Makefile D /issm/trunk-jpl/src/m/kml/Makefile
D /issm/trunk-jpl/src/m/model/Makefile D /issm/trunk-jpl/src/m/planet/Makefile
D /issm/trunk-jpl/src/m/qmu/Makefile D /issm/trunk-jpl/src/m/shared/Makefile
D /issm/trunk-jpl/src/m/solutions/Makefile D /issm/trunk-jpl/src/m/solvers/Makefile
D /issm/trunk-jpl/src/m/Utils/Analysis/Makefile D /issm/trunk-jpl/src/m/Utils/Array/Makefile
D /issm/trunk-jpl/src/m/Utils/BC/Makefile D /issm/trunk-jpl/src/m/Utils/Basins/Makefile
D /issm/trunk-jpl/src/m/Utils/Cluster/Makefile D /issm/trunk-jpl/src/m/Utils/DataProcessing/Makefile
D /issm/trunk-jpl/src/m/Utils/Ecco3/Makefile D /issm/trunk-jpl/src/m/Utils/Exp/Makefile
D /issm/trunk-jpl/src/m/Utils/Geometry/Makefile D /issm/trunk-jpl/src/m/Utils/ImageProcessing/Makefile
D /issm/trunk-jpl/src/m/Utils/Interp/Makefile D /issm/trunk-jpl/src/m/Utils/Kml/Makefile
D /issm/trunk-jpl/src/m/Utils/LatLong/Makefile D /issm/trunk-jpl/src/m/Utils/Makefile
D /issm/trunk-jpl/src/m/Utils/Math/Makefile D /issm/trunk-jpl/src/m/Utils/Meca/Makefile
D /issm/trunk-jpl/src/m/Utils/Mesh/Makefile D /issm/trunk-jpl/src/m/Utils/Miscellaneous/Makefile
D /issm/trunk-jpl/src/m/Utils/Model/Makefile D /issm/trunk-jpl/src/m/Utils/Numerics/Makefile
D /issm/trunk-jpl/src/m/Utils/OS/Makefile D /issm/trunk-jpl/src/m/Utils/Plot/Makefile
D /issm/trunk-jpl/src/m/Utils/Shell/Makefile D /issm/trunk-jpl/src/m/Utils/String/Makefile
D /issm/trunk-jpl/src/m/Utils/consistency/Makefile D /issm/trunk-jpl/src/m/Utils/qmu/Makefile
no need to have Makefiles under svn (generated by configuration)

Change #4 with diff file ISSM-11474-11475.diff:

Function name:

D /issm/trunk-jpl/src/m/Makefile D /issm/trunk-jpl/src/m/classes/@modellist/Makefile
D /issm/trunk-jpl/src/m/classes/@paioptions/Makefile D /issm/trunk-jpl/src/m/classes/Makefile
M /issm/trunk-jpl/src/m/classes/clusters/greenplanet.m D /issm/trunk-jpl/src/m/enum/Makefile
D /issm/trunk-jpl/src/m/kml/Makefile D /issm/trunk-jpl/src/m/model/Makefile
D /issm/trunk-jpl/src/m/planet/Makefile D /issm/trunk-jpl/src/m/qmu/Makefile
D /issm/trunk-jpl/src/m/shared/Makefile D /issm/trunk-jpl/src/m/solutions/Makefile
D /issm/trunk-jpl/src/m/solvers/Makefile D /issm/trunk-jpl/src/m/Utils/Analysis/Makefile

D /issm/trunk-jpl/src/m/Utils/Array/Makefile D /issm/trunk-jpl/src/m/Utils/BC/Makefile
 D /issm/trunk-jpl/src/m/Utils/Basins/Makefile D /issm/trunk-jpl/src/m/Utils/Cluster/Makefile
 D /issm/trunk-jpl/src/m/Utils/DataProcessing/Makefile D /issm/trunk-jpl/src/m/Utils/Ecco3/Makefile
 D /issm/trunk-jpl/src/m/Utils/Exp/Makefile D /issm/trunk-jpl/src/m/Utils/Geometry/Makefile
 D /issm/trunk-jpl/src/m/Utils/ImageProcessing/Makefile D /issm/trunk-jpl/src/m/Utils/Interp/Makefile
 D /issm/trunk-jpl/src/m/Utils/Kml/Makefile D /issm/trunk-jpl/src/m/Utils/LatLong/Makefile
 D /issm/trunk-jpl/src/m/Utils/Makefile D /issm/trunk-jpl/src/m/Utils/Math/Makefile
 D /issm/trunk-jpl/src/m/Utils/Meca/Makefile D /issm/trunk-jpl/src/m/Utils/Mesh/Makefile
 D /issm/trunk-jpl/src/m/Utils/Miscellaneous/Makefile D /issm/trunk-jpl/src/m/Utils/Model/Makefile
 D /issm/trunk-jpl/src/m/Utils/Numerics/Makefile D /issm/trunk-jpl/src/m/Utils/OS/Makefile
 D /issm/trunk-jpl/src/m/Utils/Plot/Makefile D /issm/trunk-jpl/src/m/Utils/Shell/Makefile
 D /issm/trunk-jpl/src/m/Utils/String/Makefile D /issm/trunk-jpl/src/m/Utils/consistency/Makefile
 D /issm/trunk-jpl/src/m/Utils/qmu/Makefile
 Export determination: 6.
 Rationale: no need to have Makefiles under svn (generated by configuration)
 A /issm/trunk-jpl/installers A /issm/trunk-jpl/installers/win7 A /issm/trunk-jpl/installers/win7/ISSM.aic A /issm/trunk-jpl/installers/win7/ISSM.initial.aip
 A /issm/trunk-jpl/installers/win7/ISSMlogo.ico A /issm/trunk-jpl/installers/win7/aic.sh
 Installer for win7

Change #5 with diff file ISSM-11475-11476.diff:

Function name:
 A /issm/trunk-jpl/installers A /issm/trunk-jpl/installers/win7 A /issm/trunk-jpl/installers/win7/ISSM.aic A /issm/trunk-jpl/installers/win7/ISSM.initial.aip
 A /issm/trunk-jpl/installers/win7/ISSMlogo.ico A /issm/trunk-jpl/installers/win7/aic.sh
 Export determination: 6.
 Rationale: Installer for win7 D /issm/trunk-jpl/README A /issm/trunk-jpl/README.txt
 (from /issm/trunk-jpl/README:11473) Need extension for Windows installer

Change #6 with diff file ISSM-11476-11477.diff:

Function name:
 D /issm/trunk-jpl/README A /issm/trunk-jpl/README.txt (from /issm/trunk-jpl/README:11473)
 Export determination: 6.
 Rationale: Need extension for Windows installer M /issm/trunk-jpl/Makefile.am
 A /issm/trunk-jpl/README.rtf Needed in rtf mode

Change #7 with diff file ISSM-11477-11478.diff:

Function name:
 M /issm/trunk-jpl/Makefile.am A /issm/trunk-jpl/README.rtf
 Export determination: 6.
 Rationale: Needed in rtf mode A /issm/trunk-jpl/externalpackages/android A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/AndroidManifest.xml A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/ant.properties A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/HelloWorldAppProject.apk

```
debug-unaligned.apk A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/HelloWorldApp
debug-unaligned.apk.d A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/HelloWorldApp
debug.apk A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/HelloWorldApp.ap_
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/HelloWorldApp.ap_d
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/build.prop
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/HelloWorldAppProject
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/R
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/Rlayout.class
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/R
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/R.classA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes.dexA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes.dex.dA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/resA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/build.xmlA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/genA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/gen/comA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/gen/com/exampleA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/gen/com/example/helloworldA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/gen/com/example/helloworld/R.javaA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/libsA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/proguard.cfgA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/project.propertiesA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/resA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/res/layout/main.xmlA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/res/valuesA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/res/values/strings.xmlA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/srcA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/src/com/exampleA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/src/com/example/helloworldA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/src/com/example/helloworld/HelloWorldAppProject
jpl/externalpackages/android/READMEAddingAndroiproject.
```

Change #8*withdiff*fileISSM-11478-11479.diff:

Functionname :

*A/issm/trunk-jpl/externalpackages/androidA/issm/trunk-jpl/externalpackages/android/HelloWorldA
jpl/externalpackages/android/HelloWorldAppProject/AndroidManifest.xmlA/issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/ant.propertiesA/issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/binA/issm/trunk-jpl/externalpackages/android/
debug-unaligned.apkA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/HelloWo
debug-unaligned.apk.dA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/HelloW
debug.apkA/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/HelloWorldApp.ap_A
jpl/externalpackages/android/HelloWorldAppProject/bin/HelloWorldApp.ap_dA/issm/trunk-*

```

jpl/externalpackages/android/HelloWorldAppProject/bin/build.propA/issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/bin/classesA/issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/comA/issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/exampleA/issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworldA/issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/HelloWorld.
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/Rattr.class
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/R.
jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/Rstring.class
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes/com/example/helloworld/R.
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes.dex
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/classes.dex.d
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/bin/res A
/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/build.xml A
/issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/gen A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/gen/R.java.d A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/gen/com A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/gen/com/example A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/gen/com/example/helloworld
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/gen/com/example/helloworld/R.java
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/libs A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/local.properties A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/proguard.cfg A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/project.properties A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/res A /issm/trunk-jpl/externalpackages/android/HelloV
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/res/layout/main.xml
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/res/values
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/res/values/strings.xml
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/src A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/src/com A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/src/com/example A /issm/trunk-
jpl/externalpackages/android/HelloWorldAppProject/src/com/example/helloworld
A /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/src/com/example/helloworld/HelloWorld
A /issm/trunk-jpl/externalpackages/android/README
Export determination: 6.
Rationale: Adding Androi project. A /issm/trunk-jpl/README (from /issm/trunk-
jpl/README.txt:11476) Needed by GNU automake

```

Change #9 with diff file ISSM-11479-11480.diff:

Function name:

A /issm/trunk-jpl/README (from /issm/trunk-jpl/README.txt:11476)

Export determination: 6.

Rationale: Needed by GNU automake M /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject
Ignoring local.properties

Change #10 with diff file ISSM-11480-11481.diff:

Function name:

M /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject

Export determination: 6.

Rationale: Ignoring local.properties M /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject

M /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/local.properties

Whatever

Change #11 with diff file ISSM-11481-11482.diff:

Function name:

M /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject M /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/local.properties

Export determination: 6.

Rationale: Whatever D /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/local.properties

Not neded

Change #12 with diff file ISSM-11482-11483.diff:

Function name:

D /issm/trunk-jpl/externalpackages/android/HelloWorldAppProject/local.properties

Export determination: 6.

Rationale: Not neded M /issm/trunk-jpl/installers/win7/ISSM.aic M /issm/trunk-jpl/installers/win7/ISSM.initial.aip M /issm/trunk-jpl/installers/win7/aic.sh Put all the binaries in ISSM_TIER/bin instead of ISSM_TIER. Works better for generic class.

Change #13 with diff file ISSM-11483-11484.diff:

Function name:

M /issm/trunk-jpl/installers/win7/ISSM.aic M /issm/trunk-jpl/installers/win7/ISSM.initial.aip

M /issm/trunk-jpl/installers/win7/aic.sh

Export determination: 6.

Rationale: Put all the binaries in ISSM_TIER/bin instead of ISSM_TIER. Works better for generic class. M /issm/trunk-jpl/src/m/classes/Makefile.am Added two subdirectories being missed

Change #14 with diff file ISSM-11484-11485.diff:

Function name:

M /issm/trunk-jpl/src/m/classes/Makefile.am

Export determination: 6.

Rationale: Added two subdirectories being missed M /issm/trunk-jpl/src/m/classes/clusters/generic.m Windows specific changes

Change #15 with diff file ISSM-11485-11486.diff:

Function name:

M /issm/trunk-jpl/src/m/classes/clusters/generic.m

Export determination: 6.

Rationale: Windows specific changes M /issm/trunk-jpl/src/m/model/Makefile.am Missing a lot of subdirectories

Change #16 with diff file ISSM-11486-11487.diff:

Function name:

M /issm/trunk-jpl/src/m/model/Makefile.am

Export determination: 6.

Rationale: Missing a lot of subdirectories M /issm/trunk-jpl/src/m/model/loadresultsfromcluster.m

Windows specific changes to delete bat file

Change #17 with diff file ISSM-11487-11488.diff:

Function name:

M /issm/trunk-jpl/src/m/model/loadresultsfromcluster.m

Export determination: 6.

Rationale: Windows specific changes to delete bat file M /issm/trunk-jpl/src/m/Utils/Shell/issmtier.m

Taking out the trailing slash for windows systems

Change #18 with diff file ISSM-11488-11489.diff:

Function name:

M /issm/trunk-jpl/src/m/Utils/Shell/issmtier.m

Export determination: 6.

Rationale: Taking out the trailing slash for windows systems M /issm/trunk-jpl/test/NightlyRun/Makefile Added more erase targets

Change #19 with diff file ISSM-11489-11490.diff:

Function name:

M /issm/trunk-jpl/test/NightlyRun/Makefile

Export determination: 6.

Rationale: Added more erase targets M /issm/trunk-jpl/configure.ac Multitude of missing subdirs for install target of m files