

JPL EXPORT ADMINISTRATION DOCUMENT REVIEW RECORD

Log #: 11961-11984

(Note: This form and process do not replace the procedures described in JPL Policy relating to review and approval of proposals and contractual documents. This process is intended to document the review and coordination of requests to ascertain the export control ramifications relating to specific documents. Export Administration signature does not convey authority to export or release the "Exporter of Record" from any export laws or regulations.)

Program: ISSM: Ice Sheet System Model

Person Requesting or Initiating Export: Dr. Eric Larour

Date Received: Apr-16-2012

Document Title/Description: ISSM changes from revision 11961 to revision 11984

Release to: <http://issm.ess.uci.edu/svn/issm/issm/trunk> on ISSM svn repository

JPL Intranet: murdo.jpl.nasa.gov/proj/ice/larour/issm-uci/trunk-jpl

Disposition: 6 Does not contain export-controlled information. May be released/disclosed as requested subject to Company guidelines on protection of proprietary information (if applicable).

Comments: see table of changes below.

Reviewed by ISSM Export Transfer Liaison: Dr. Eric Larour **Date:** Apr-16-2012



JPL Export Administration Form TBS June 29, 2011

Disposition:

- 1: Public Domain Information (Ref ITAR Section 120.11)
- 2: Qualifies for ITAR Exemption
- 3: Covered by Department of State License/Agreement Number
- 4: Covered by Department of Commerce validated license or exception
- 5: New License Required
- 6: Does not contain export-controlled information. May be released/disclosed as requested subject to Company guidelines on protection of proprietary information (if applicable).
- 7: Other (specify)

Change #1 with diff file ISSM-11961-11962.diff:

Function name:

A /issm/trunk-jpl/src/m/enum/DebugPetcProfilingEnum.m A /issm/trunk-jpl/src/m/enum/PetcProfilingCurrentFlopsEnum.m A /issm/trunk-jpl/src/m/enum/PetcProfilingCurrentM
A /issm/trunk-jpl/src/m/enum/PetcProfilingSolutionTimeEnum.m

Export determination: 6.

Rationale: Enums for PETSc profiling M /issm/trunk-jpl/src/c/modules/EnumToStringx/EnumToStringx.cpp
EnumToString for PETSc profiling

Change #2 with diff file ISSM-11962-11963.diff:

Function name:

M /issm/trunk-jpl/src/c/modules/EnumToStringx/EnumToStringx.cpp

Export determination: 6.

Rationale: EnumToString for PETSc profiling M /issm/trunk-jpl/src/c/modules/StringToEnumx/StringToEnumx.cpp
StringToEnum for PETSc profiling

Change #3 with diff file ISSM-11963-11964.diff:

Function name:

M /issm/trunk-jpl/src/c/modules/StringToEnumx/StringToEnumx.cpp

Export determination: 6.

Rationale: StringToEnum for PETSc profiling M /issm/trunk-jpl/src/c/modules/ModelProcessorx/CreateParameters.cpp
Added DebugPetcProfilingEnum to parameters

Change #4 with diff file ISSM-11964-11965.diff:

Function name:

M /issm/trunk-jpl/src/c/modules/ModelProcessorx/CreateParameters.cpp

Export determination: 6.

Rationale: Added DebugPetcProfilingEnum to parameters M /issm/trunk-jpl/src/c/modules/StringToEnumx/StringToEnumx.cpp Removed stray remarks

Change #5 with diff file ISSM-11965-11966.diff:

Function name:

M /issm/trunk-jpl/src/c/modules/StringToEnumx/StringToEnumx.cpp

Export determination: 6.

Rationale: Removed stray remarks M /issm/trunk-jpl/src/android/two-libs/jni/Android.mk
Added the cross-compilation environment tmp. Also, successfully compiled Triangle for Android by adding a configure.make specifically for the Android platform.

Change #6 with diff file ISSM-11966-11967.diff:

Function name:

M /issm/trunk-jpl/src/android/two-libs/jni/Android.mk

Export determination: 6.

Rationale: Added the cross-compilation environment tmp. Also, successfully compiled Triangle for Android by adding a configure.make specifically for the Android platform. A /issm/trunk-jpl/src/android/tmp A /issm/trunk-jpl/src/android/tmp/android-14-toolchain A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/COPYING A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/COPYING.LIB A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/SOURCES A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/ar A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/as A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/c++ A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/g++ A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/gcc A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/ld A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/nm A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/objcopy A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/objdump A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/ranlib A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/bin/strip A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++ A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/algorithm A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/atomic_word.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/basic_file.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/c++allocator.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/c++config.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/c++io.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/cxxabi_tweaks.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/error_constants.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/extc++.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/gthr-
default.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-
androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/gthr-posix.h A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/gthr-single.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/gthr-
tpf.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/gthr.h A /issm/trunk-jpl/src/android/tmp/android-14-
toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/messages_members.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/os_defines.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/stdc++.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/stdtr1c++.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/time_members.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/atomic_word.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/basic_file.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/c++allocator.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/c++config.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/c++io.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/c++locale.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/cpu_defines.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/ctype_base.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/ctype_inline.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/ctype_noninline.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/cxxabi_tweaks.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/error_constants.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/extc++.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/gthr-
default.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-
androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/gthr-posix.h

[illegible]

[illegible]

[illegible]

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/lib/ldscripts/armelfb_linux.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/lib/thumb
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/bin/arm-linux-androideabi-addr2line
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-linux-androideabi-
ar A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-linux-androideabi-
as A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-linux-androideabi-
c++ A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-linux-
androideabi-c++filt A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-cpp A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-g++ A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-gcc A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-gcc-4.4.3 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-gcov A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-gdb A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-gdbtui A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-gprof A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-ld A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-nm A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-objcopy A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-objdump A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-ranlib A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-readelf A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-run A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-size A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-strings A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/bin/arm-
linux-androideabi-strip A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/include
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/lib/gcc A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3 A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/armv7-a A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/armv7-a/thumb A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/arm.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/float.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/iso646.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/mmin.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stdarg.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stdbo.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stddef.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stdfix.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/unwin.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/vararg.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-
fixed A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-

androideabi/4.4.3/include-fixed/README A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/limits.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/linux A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/linux/a.out.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/stdio.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/sys A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/sys/types.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/syslimits.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/thumb A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec/gcc A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec/gcc/arm-linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3/cc1 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3/cc1plus A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3/collect2 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/EGL A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/EGL/egl.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/EGL/eglext.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/EGL/eglplatform.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES/gl.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES/glex.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES/glplatform.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES2 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES2/gl2.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES2/gl2ext.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/GLES2/gl2platform.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/KHR A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/KHR/khrplatform.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/OMXAL A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/OMXAL/OpenMAXAL.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/OMXAL/OpenMAXAL_Android.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/OMXAL/OpenMAXAL_Platform.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_Android.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_AndroidCom A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_AndroidMet A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_Platform.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/alloca.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/api-
level.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/asset_manager.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/asset_manager_jni.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/bitmap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/configuration.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/input.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/keycodes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/log.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/looper.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/native_activity.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/native_window.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/native_window_jni.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/obb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/rect.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/sensor.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/storage_manager.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/window.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa/inet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa/nameser.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa/telnet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/a.out.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/board-
perseus2.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/board.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/cpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/dma.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/fpga.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/gpio-
switch.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/gpio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/hardware.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/io.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/irqs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/mcbsp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/memory.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/mtd-
xip.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/mux.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/omap24xx.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/serial.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/timex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/vmalloc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/atomic.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/auxvec.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/bitops.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/byteorder.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/cache.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/cacheflush.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/cputime.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/delay.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/div64.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/dma-
mapping.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/dma.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/domain.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/dyntick.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/elf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/errno.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/fcntl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/fpstate.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/glue.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/hardirq.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/hardware.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/hw_irq.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ide.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/io.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ioctl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ioctls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ipcbuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/irq.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/linkage.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/local.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/locks.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/mc146818rtc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/memory.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/mman.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/module.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/msgbuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/mtd-
xip.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/page.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/param.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/percpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/pgalloc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/pgtable-
hwdef.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/pgtable.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/posix_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/proc-
fns.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/processor.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/procinfo.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ptrace.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/resource.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/scatterlist.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/semaphore.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sembuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/shmbuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/shmparam.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sigcontext.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/siginfo.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/signal.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sizes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/smp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/socket.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sockios.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/spinlock.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/spinlock_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/stat.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/statfs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/suspend.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/system.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/termbits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/termios.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/thread_info.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/timex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/tlbflush.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/topology.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/uaccess.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/unaligned.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/unistd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/user.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/vga.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/4level-fixup.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/audit_dir_write.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/_ffs.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/atomic.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/ffz.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/find.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/fls.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/fls64.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/le.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/bitops/non-atomic.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/a
generic/bug.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/cputime.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
generic/emergency-restart.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/as

generic/errno-base.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/errno.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/fcntl.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/futex.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/ioctl.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/ipc.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/local.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/memory_model.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/mman.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/mutex-xchg.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/percpu.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/pgtable-nopud.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/pgtable.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/poll.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/resource.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/sections.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/signinfo.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/signal.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/tlb.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/topology.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-
 generic/xor.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/assert.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/byteswap.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/ctype.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/dirent.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/dlfcn.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/elf.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/ endian.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/errno.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fcntl.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/features.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fenv.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fnmatch.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fts.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/getopt.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/grp.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/inttypes.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/jni.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/lastlog.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/libgen.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/limits.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/a.out.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/aio_abi.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/akm8976.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/android_alarm.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/android_pmem.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/android_power.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/apm_bios.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ashmem.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ata.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmapi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmioc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmppp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmsap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/attribute_container.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/auto_fs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/autoconf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/auxvec.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/backing-
dev.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/binder.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/binfmts.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/bio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/bitmap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/bitops.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/blkdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/blkpg.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/blockgroup_lock.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/big_endian.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/generic.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/little_endian.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/swab.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/swabb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cache.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/calc64.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/capability.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/capi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cdrom.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/circ_buf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/clock.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/coda.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/coda_fs_i.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/compat.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/compiler-
gcc.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/compiler.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/completion.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/config.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/console_struct.h

[illegible]

[illegible]

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/linkage.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/list.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/lockd
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/lockd/nlm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/lockd/xdr.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/lockdep.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/loop.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/magic.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/major.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mc146818rtc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mca.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mempolicy.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mempool.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/miscdevice.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mmc
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mmc/card.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mmc/host.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mmc/mmc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mmzone.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mod_devicetable.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/module.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/moduleparam.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mount.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msdos_fs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msg.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msm_adsp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msm_audio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msm_mdp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mt9t013.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/bbm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/blktrans.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/cfi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/cfi_endian.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/compatmac.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/flashchip.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/map.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/mtd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/nand.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/nand_ecc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/nftl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/onenand_regs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/partitions.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mutex-

[illegible]

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter_ipv6/ip6t_mac.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter_ipv6/ip6t_opts.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter_ipv6/ip6t_owner.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter_ipv6/ip6t_physdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter_ipv6/ip6t_rt.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter_ipv6.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netlink.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfs2.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfs3.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfs4.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfs_xdr.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsacl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/auth.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/const.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/debug.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/export.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/interface.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/nfsfh.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/stats.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nfsd/xdr.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/node.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nodemask.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/notifier.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/numa.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nvram.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/omap_csmpi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pagemap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/param.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/patchkey.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pci.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pci_ids.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pci_regs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/percpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/percpu_counter.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/personality.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pfkeyv2.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pkt_cls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pkt_sched.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/platform_device.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/plist.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pnp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/posix_acl.h

[illegible]

[illegible]

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/udp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ufs_fs_i.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ufs_fs_sb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/uio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/un.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/unistd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/usb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/usb_ch9.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/usbdevice_fs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/user.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/utime.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/utsname.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/version.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/vfs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/videodev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/videodev2.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/vmalloc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/vt.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/vt_buffer.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/wait.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/wanrouter.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/wireless.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/workqueue.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/xattr.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/zconf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/zlib.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/zorrodids.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/locale.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/asm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/cdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/cpu-features.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/exec.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/ieee.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/internal_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/kernel.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/limits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/setjmp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/malloc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/math.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/memory.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mntent.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mtd
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mtd/mtd-abi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mtd/mtd-

```

user.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/ethernet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/ethertypes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_arp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_dl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_ether.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_ieee1394.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_packet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/route.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netdb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ether.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/icmp6.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/if_ether.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/in.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/in6.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/in_systm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ip.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ip6.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ip_icmp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/tcp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/udp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netpacket
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netpacket/packet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/nsswitch.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/pathconf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/paths.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/pthread.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/pwd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/regex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/resolv.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sched.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/semaphore.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/setjmp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sgtty.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sha1.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/signal.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/stdint.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/stdio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/stdlib.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/string.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/strings.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys

```

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_errdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_sigdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_system_properties.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/atomics.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/cdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/cdefs.elf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/dirent.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/endian.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/epoll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/errno.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/eventfd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/exec_elf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/file.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/fsuid.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/inotify.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ioctl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ioctl_compat.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ipc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/klog.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/limits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/linux-syscalls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/linux-unistd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/mman.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/mount.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/param.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/precl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ptrace.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/queue.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/reboot.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/resource.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/select.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/sendfile.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/socket.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/socketcalls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/stat.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/statfs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/syscall.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/sysconf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/sysinfo.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/syslimits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/sysmacros.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/system_properties.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/time.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/times.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/times.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ttychars.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ttydev.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/types.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/uio.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/un.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/utime.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/utsname.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/vfs.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/vt.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/wait.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/syslog.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/termio.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/termios.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/thread_db.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/time.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/time64.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/unistd.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/util.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/utime.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/utmp.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/wchar.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/wctype.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/zconf.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/zlib.h
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/lib Added
 the cross-compilation environment tmp. Also, successfully compiled Triangle for
 Android by adding a configure.make specifically for the Android platform.

Change #7 with diff file ISSM-11967-11968.diff:

Function name:

A /issm/trunk-jpl/src/android/tmp A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/COPYING
 A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/COPYING.LIB A /issm/trunk-
 jpl/src/android/tmp/android-14-toolchain/SOURCES A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/ar A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/as A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/c++ A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/g++ A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/gcc A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/ld A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/nm A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/objcopy A /issm/trunk-jpl/src/android/tmp/android-
 14-toolchain/arm-linux-androideabi/bin/objdump A /issm/trunk-jpl/src/android/tmp/android-

14-toolchain/arm-linux-androideabi/bin/ranlib A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/bin/strip A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++ A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3 A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/algorithm A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits A /issm/trunk-jpl/src/android/tmp/android-14-
toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/atomic_word.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/basic_file.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits/c++allocator.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/c++config.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/c++io.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits/c++locale.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/cpu_defines.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/ctype_base.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits/ctype_inline.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/ctype_noninline.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/cxxabi_tweaks.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits/error_constants.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/extc++.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/gthr-
default.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-
androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/gthr-posix.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits/gthr-single.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/gthr-tpf.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/gthr.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits/messages_members.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/os_defines.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-a/bits/stdc++.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/armv7-a/bits/stdtr1c++.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/armv7-
a/bits/time_members.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/atomic_word.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/basic_file.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/c++allocator.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/c++config.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/c++io.h A /issm/trunk-jpl/src/android/tmp/android-14-
toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/c++locale.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/cpu_defines.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/ctype_base.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/ctype_inline.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/ctype_noninline.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/cxxabi_tweaks.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/error_constants.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/extc++.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/gthr-
default.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-
androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/gthr-posix.h A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/gthr-single.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/gthr-
tpf.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/gthr.h A /issm/trunk-jpl/src/android/tmp/android-14-
toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/messages_members.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/os_defines.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/stdc++.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/bits/stdtr1c++.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/bits/time_members.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/arm-
linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-
linux-androideabi/thumb/bits/atomic_word.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/arm-linux-androideabi/include/c++/4.4.3/arm-linux-androideabi/thumb/bits/basic_file.h

[illegible]

[illegible]


```

linux-androideabi-strip A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/include
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/lib/gcc A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3 A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/armv7-a A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/armv7-a/thumb A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/arm.n
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/float.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/iso646
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/mmin
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stdarg
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stdbo
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stddef
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/stdfix
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/unwin
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include/vararg
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-
fixed A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-
androideabi/4.4.3/include-fixed/README A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/limits.h A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-
fixed/linux A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-
linux-androideabi/4.4.3/include-fixed/linux/a.out.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/stdio.h A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-
fixed/sys A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-
linux-androideabi/4.4.3/include-fixed/sys/types.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/include-fixed/syslimits.h A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/lib/gcc/arm-linux-androideabi/4.4.3/thumb
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/libexec A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/libexec/gcc A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/libexec/gcc/arm-linux-androideabi A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3 A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3/cc1 A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3/cc1plus A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/libexec/gcc/arm-linux-androideabi/4.4.3/collect2
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/sysroot/usr A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/EGL A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/EGL/egl.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/EGL/eglext.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/EGL/eglplatform.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/GLES A /issm/trunk-jpl/src/android/tmp/android-

```


14-toolchain/sysroot/usr/include/GLES/gl.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/GLES/glexth.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/GLES/glplatform.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/GLES2 A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/GLES2/gl2.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/GLES2/gl2ext.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/GLES2/gl2platform.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/KHR A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/KHR/khrplatform.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/OMXAL A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/OMXAL/OpenMAXAL.h A /issm/trunk-jpl/src/android/tmp/android-
14-toolchain/sysroot/usr/include/OMXAL/OpenMAXAL_Android.h A /issm/trunk-
jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/OMXAL/OpenMAXAL_Platform.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_Android.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_AndroidCon
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_AndroidMet
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/SLES/OpenSLES_Platform.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/alloca.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/api-
level.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/asset_manager.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/asset_manager_jni.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/bitmap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/configuration.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/input.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/keycodes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/log.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/looper.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/native_activity.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/native_window.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/native_window_jni.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/obb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/rect.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/sensor.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/storage_manager.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/android/window.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa/inet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa/nameser.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/arpa/telnet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/a.out.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/board-

```

perseus2.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/board.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/cpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/dma.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/fpga.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/gpio-
switch.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/gpio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/hardware.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/io.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/irqs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/mcbsp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/memory.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/mtd-
xip.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/mux.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/omap24xx.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/serial.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/timex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/arch/vmalloc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/atomic.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/auxvec.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/bitops.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/byteorder.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/cache.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/cacheflush.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/cputime.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/delay.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/div64.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/dma-
mapping.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/dma.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/domain.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/dyntick.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/elf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/errno.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/fcntl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/fpstate.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/glue.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/hardirq.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/hardware.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/hw_irq.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ide.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/io.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ioctl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ioctls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ipcbuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/irq.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/linkage.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/local.h

```

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/locks.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/mc146818rtc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/memory.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/mman.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/module.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/msgbuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/mtd-
xip.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/page.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/param.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/percpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/pgalloc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/pgtable-
hwdef.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/pgtable.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/posix_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/proc-
fns.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/processor.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/procinfo.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/ptrace.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/resource.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/scatterlist.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/semaphore.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sembuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/shmbuf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/shmparam.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sigcontext.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/siginfo.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/signal.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sizes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/smp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/socket.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/sockios.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/spinlock.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/spinlock_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/stat.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/statfs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/suspend.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/system.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/termbits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/termios.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/thread_info.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/timex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/tlbfush.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/topology.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/uaccess.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/unaligned.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/unistd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/user.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm/vga.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/4level-fixup.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/audit_dir_write.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/_ffs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/atomic.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/ffz.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/find.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/fls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/fls64.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/le.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bitops/non-atomic.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/bug.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/cputime.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/emergency-restart.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/errno-base.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/errno.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/fcntl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/futex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/ioctl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/ipc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/local.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/memory_model.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/mman.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/mutex-xchg.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/percpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/pgtable-nopud.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/pgtable.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/resource.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/sections.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/siginfo.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/signal.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/tlb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/topology.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/xor.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/asm-generic/assert.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/byteswap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/ctype.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/dirent.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/dlfcn.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/elf.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/ndk-build.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/err.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/errno.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fcntl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/features.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fenv.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fmatch.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/fts.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/getopt.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/grp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/inttypes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/jni.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/lastlog.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/libgen.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/limits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/a.out.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/aio_abi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/akm8976.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/android_alarm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/android_pmem.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/android_power.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/apm_bios.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ashmem.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ata.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmapi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmioc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmppp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/atmsap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/attribute_container.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/auto_fs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/autoconf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/auxvec.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/backing-dev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/binder.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/binfmts.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/bio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/bitmap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/bitops.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/blkdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/blkpg.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/blockgroup_lock.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/big_endian.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/generic.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/little_endian.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/swab.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/byteorder/swabb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cache.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/calc64.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/capability.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/capi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cdrom.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/circ_buf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/clk.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/coda.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/coda_fs_i.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/compat.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/compiler-gcc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/compiler.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/completion.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/config.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/console_struct.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/cpumask.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ctype.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/dccp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/debug_locks.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/delay.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/device.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/dirent.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/dm-ioctl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/dma-mapping.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/dmaengine.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/efs_dir.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/efs_fs_i.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/efs_fs_sb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/elevator.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/elf-em.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/elf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/err.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/errno.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/errqueue.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/etherdevice.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ext2_fs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ext3_fs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/fadvise.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/fb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/fcntl.h

[illegible]

[illegible]

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msm_adsp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msm_audio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/msm_mdp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mt9t013.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/bbm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/blktrans.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/cfi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/cfi_endian.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/compatmac.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/flashchip.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/map.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/mtd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/nand.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/nand_ecc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/nftl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/onenand_regs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtd/partitions.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mtio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mutex-
debug.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/mutex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ncp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ncp_mount.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ncp_no.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/net.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netdevice.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/nf_conntrack_co
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/nf_conntrack_ft
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/nf_conntrack_sc
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/nf_conntrack_tc
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/nf_conntrack_tu
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/nfnetlink.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/nfnetlink_connt
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/x_tables.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_CLASSIFY.I
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_CONNSECM
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_NFQUEUE.I
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_SECMARK.
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_comment.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_connbytes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_conntrack.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_dccp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_esp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_helper.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/netfilter/xt_length.h

[illegible]

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/nvram.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/omap_csmi.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pagemap.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/param.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/patchkey.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pci.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pci_ids.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pci_regs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/percpu.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/percpu_counter.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/personality.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pfkeyv2.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pkt_cls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pkt_sched.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/platform_device.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/plist.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/pnp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/posix_acl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/posix_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ppdev.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ppp_defs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/prctl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/preempt.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/proc_fs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/ptrace.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/qic117.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/qnxtypes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/quota.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/raid
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/raid/md.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/raid/md_k.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/raid/md_p.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/raid/md_u.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/raid/xor.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/random.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/rbtree.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/rcupdate.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/reboot.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/relay.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/resource.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/route.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux rtc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/rtnetlink.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/rwsem.h

[illegible]

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/linux/zorro_ids.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/locale.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/asm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/cdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/cpu-features.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/exec.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/ieee.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/internal_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/kernel.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/limits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/machine/setjmp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/malloc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/math.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/memory.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mntent.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mtd
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mtd/mtd-abi.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/mtd/mtd-user.h A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/ethernet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/ethertypes.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_arp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_dl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_ether.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_ieee1394.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_packet.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/if_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/net/route.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netdb.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ether.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/icmp6.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/if_ether.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/in.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/in6.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/in_systm.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ip.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ip6.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/ip_icmp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/tcp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netinet/udp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netpacket
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/netpacket/packet.h

A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/nsswitch.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/pathconf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/paths.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/poll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/pthread.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/pwd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/regex.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/resolv.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sched.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/semaphore.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/setjmp.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sgtty.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sha1.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/signal.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/stdint.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/stdio.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/stdlib.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/string.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/strings.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_errdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_sigdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_system_properties.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/_types.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/atomics.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/cdefs.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/cdefs_elf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/dirent.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/endian.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/epoll.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/errno.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/eventfd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/exec_elf.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/file.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/fsuid.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/inotify.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ioctl.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ioctl_compat.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/ipc.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/klog.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/limits.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/linux-syscalls.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/linux-unistd.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/mman.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/mount.h
A /issm/trunk-jpl/src/android/tmp/android-14-toolchain/sysroot/usr/include/sys/param.h

[illegible]

Export determination: 6.

Rationale: Added the cross-compilation environment tmp. Also, successfully compiled Triangle for Android by adding a configure.make specifically for the Android platform. M /issm/trunk-jpl/externalpackages/android-sdk/install.sh A /issm/trunk-jpl/externalpackages/triangle/configs/android A /issm/trunk-jpl/externalpackages/triangle/configs/android/configure.make Mistakenly did not add android/configure.make

Change #8 with diff file ISSM-11968-11969.diff:

Function name:

M /issm/trunk-jpl/externalpackages/android-sdk/install.sh A /issm/trunk-jpl/externalpackages/triangle/configs/android/configure.make

Export determination: 6.

Rationale: Mistakenly did not add android/configure.make M /issm/trunk-jpl/src/mex/TriMesh/TriMesh.cpp M /issm/trunk-jpl/src/mex/TriMesh/TriMesh.h Working python wrapper for TriMesh module. No need for Test anymore

Change #9 with diff file ISSM-11969-11970.diff:

Function name:

M /issm/trunk-jpl/src/mex/TriMesh/TriMesh.cpp M /issm/trunk-jpl/src/mex/TriMesh/TriMesh.h

Export determination: 6.

Rationale: Working python wrapper for TriMesh module. No need for Test anymore M /issm/trunk-jpl/src/mex/Makefile.am D /issm/trunk-jpl/src/mex/Test Working python wrapper for TriMesh module. No need for Test anymore

Change #10 with diff file ISSM-11970-11971.diff:

Function name:

M /issm/trunk-jpl/src/mex/Makefile.am D /issm/trunk-jpl/src/mex/Test

Export determination: 6.

Rationale: Working python wrapper for TriMesh module. No need for Test anymore M /issm/trunk-jpl/src/c/solutions/issm.cpp No need for declaring externals here

Change #11 with diff file ISSM-11971-11972.diff:

Function name:

M /issm/trunk-jpl/src/c/solutions/issm.cpp

Export determination: 6.

Rationale: No need for declaring externals here A /issm/trunk-jpl/src/c/io/Matlab/CheckNumMatlabArguments.cpp A /issm/trunk-jpl/src/c/io/Matlab/PrintfFunction.cpp M /issm/trunk-jpl/src/c/io/Matlab/matlabio.h A /issm/trunk-jpl/src/c/io/Matlab/mxGetAssignedField.cpp A /issm/trunk-jpl/src/c/io/Python/CheckNumPythonArguments.cpp M /issm/trunk-jpl/src/c/io/Python/FetchPythonData.cpp M /issm/trunk-jpl/src/c/io/Python/WritePythonData.cpp M /issm/trunk-jpl/src/c/io/Python/pythonio.h D /issm/trunk-jpl/src/c/shared/Matlab Reorganized Matlab and Python io. Also added FetchData and WriteData routines in the Python io layer, essential to implementing the Python wrappers. These rely on the NumPY C API. We let go of the boost Python bindings, which were conflicting with the Numpy C

API. Go back to the roots!

Change #12 with diff file ISSM-11972-11973.diff:

Function name:

A /issm/trunk-jpl/src/c/io/Matlab/CheckNumMatlabArguments.cpp A /issm/trunk-jpl/src/c/io/Matlab/PrintfFunction.cpp M /issm/trunk-jpl/src/c/io/Matlab/matlabio.h

A /issm/trunk-jpl/src/c/io/Matlab/mxGetAssignedField.cpp A /issm/trunk-jpl/src/c/io/Python/CheckNumPythonArguments.cpp M /issm/trunk-jpl/src/c/io/Python/FetchPythonData M /issm/trunk-jpl/src/c/io/Python/WritePythonData.cpp M /issm/trunk-jpl/src/c/io/Python/pythonio.h D /issm/trunk-jpl/src/c/shared/Matlab

Export determination: 6.

Rationale: Reorganized Matlab and Python io. Also added FetchData and WriteData routines in the Python io layer, essential to implementing the Python wrappers. These rely on the NumPY C API. We let go of the boost Python bindings, which were conflicting with the Numpy C API. Go back to the roots! M /issm/trunk-jpl/src/c/shared/Matrix/MatrixUtils.cpp M /issm/trunk-jpl/src/c/shared/Numerics/GaussPoint M /issm/trunk-jpl/src/c/shared/Numerics/XZvectorsToCoordinateSystem.cpp M /issm/trunk-jpl/src/c/shared/shared.h Some of the Matlab routines are now in the io/Matlab directory.

Change #13 with diff file ISSM-11973-11974.diff:

Function name:

M /issm/trunk-jpl/src/c/shared/Matrix/MatrixUtils.cpp M /issm/trunk-jpl/src/c/shared/Numerics/GaussPo M /issm/trunk-jpl/src/c/shared/Numerics/XZvectorsToCoordinateSystem.cpp M /issm/trunk-jpl/src/c/shared/shared.h

Export determination: 6.

Rationale: Some of the Matlab routines are now in the io/Matlab directory. M /issm/trunk-jpl/src/c/Makefile.am M /issm/trunk-jpl/src/c/include/macros.h M /issm/trunk-jpl/src/c/toolkits/python/pythonincludes.h New macros to implement API transparent wrappers, which can be hooked up to Python or Matlab. pythonincludes now relies on the NumPY C API instead of the boost python bindings.

Change #14 with diff file ISSM-11974-11975.diff:

Function name:

M /issm/trunk-jpl/src/c/Makefile.am M /issm/trunk-jpl/src/c/include/macros.h M /issm/trunk-jpl/src/c/toolkits/python/pythonincludes.h

Export determination: 6.

Rationale: New macros to implement API transparent wrappers, which can be hooked up to Python or Matlab. pythonincludes now relies on the NumPY C API instead of the boost python bindings. A /issm/trunk-jpl/src/py/modules/Test A /issm/trunk-jpl/src/py/modules/Test/Makefile A /issm/trunk-jpl/src/py/modules/Test/Makefile.bak A /issm/trunk-jpl/src/py/modules/Test/Test2.cpp A /issm/trunk-jpl/src/py/modules/Test/Write.cpp A /issm/trunk-jpl/src/py/modules/Test/test.py M /issm/trunk-jpl/src/py/modules/TriMesh2/Makefile A /issm/trunk-jpl/src/py/modules/TriMesh2/Mesh.cpp A /issm/trunk-jpl/src/py/modules/TriMesh2/TriMes M /issm/trunk-jpl/src/py/modules/TriMesh2/test.py Some prototyping of Python

modules. For a history of how to make the NumPY C API work

Change #15 with diff file ISSM-11975-11976.diff:

Function name:

A /issm/trunk-jpl/src/py/modules/Test A /issm/trunk-jpl/src/py/modules/Test/Makefile

A /issm/trunk-jpl/src/py/modules/Test/Makefile.bak A /issm/trunk-jpl/src/py/modules/Test/Test2.cpp

A /issm/trunk-jpl/src/py/modules/Test/Write.cpp A /issm/trunk-jpl/src/py/modules/Test/test.py

M /issm/trunk-jpl/src/py/modules/TriMesh2/Makefile A /issm/trunk-jpl/src/py/modules/TriMesh2/Mesh.c

A /issm/trunk-jpl/src/py/modules/TriMesh2/TriMesh.cpp.bak3 M /issm/trunk-

jpl/src/py/modules/TriMesh2/test.py

Export determination: 6.

Rationale: Some prototyping of Python modules. For a history of how to make the NumPY C API work M /issm/trunk-jpl/src/py/modules/Test Ignore

__pycache__ files

Change #16 with diff file ISSM-11976-11977.diff:

Function name:

M /issm/trunk-jpl/src/py/modules/Test

Export determination: 6.

Rationale: Ignore __pycache__ files M /issm/trunk-jpl/test/NightlyRun/test101.py

Temporary test101.py

Change #17 with diff file ISSM-11977-11978.diff:

Function name:

M /issm/trunk-jpl/test/NightlyRun/test101.py

Export determination: 6.

Rationale: Temporary test101.py M /issm/trunk-jpl/configs/config-macosx64-larour-python.sh No need for boost anymore

Change #18 with diff file ISSM-11978-11979.diff:

Function name:

M /issm/trunk-jpl/configs/config-macosx64-larour-python.sh

Export determination: 6.

Rationale: No need for boost anymore M /issm/trunk-jpl/src/c/Makefile.am Do not compile issm2 for now

Change #19 with diff file ISSM-11979-11980.diff:

Function name:

M /issm/trunk-jpl/src/c/Makefile.am

Export determination: 6.

Rationale: Do not compile issm2 for now M /issm/trunk-jpl/src/c/Makefile.am reverting to old compilation flags for matlab

Change #20 with diff file ISSM-11980-11981.diff:

Function name:

M /issm/trunk-jpl/src/c/Makefile.am

Export determination: 6.
Rationale: reverting to old compilation flags for matlab M /issm/trunk-jpl/configure.ac
Added URL in configure.ac

Change #21 with diff file ISSM-11981-11982.diff:

Function name:
M /issm/trunk-jpl/configure.ac
Export determination: 6.
Rationale: Added URL in configure.ac M /issm/trunk-jpl/src/c/solutions/issm.cpp
minor, added package info

Change #22 with diff file ISSM-11982-11983.diff:

Function name:
M /issm/trunk-jpl/src/c/solutions/issm.cpp
Export determination: 6.
Rationale: minor, added package info M /issm/trunk-jpl/src/c/solutions/issm.cpp
minor, added package info

Change #23 with diff file ISSM-11983-11984.diff:

Function name:
M /issm/trunk-jpl/src/c/solutions/issm.cpp
Export determination: 6.
Rationale: minor, added package info